



CAR REFRIGERATOR

Product manual

Fast cooling
Wide range of options
Long lasting freshness



NINGBO FETER ELECTRICAL APPLIANCE CO.,LTD

Add: 78 Jingqi Road, Fuhai Industrial Zone, Cixi City, Zhejiang Province

Tel: 86-574-63564720 Fax: 86-574-63567353

Mail: feter@feterchina.com

Web: www.feterchina.com



Company profile

Ningbo Feter Electrical Appliance Co., Ltd. is a high-tech enterprise established in 2003.

Which mainly produces domestic and commercial refrigeration equipment and electric heaters. The company has developed more than 30 models of car refrigerators and more than 50 models of ice machines and has a R&D team of more than 20 people. The company has applied for more than 200 patents and has more than 20 certifications.

The company trades with more than 150 countries and regions around the world. Full experience in the production of refrigeration equipment. We have cooperated with customers such as LIDL, Wal-Mart and so on. Our products are widely used in outdoor camping, restaurants and bars.

Product catalog

3 Company Profile

5 Qualification certification

7 FTG 12L

8 FTA 30L/40L/50L

11 FTB 18L/25L

13 FTB 18LP/25LP

15 FTC 40L/50L/60L/70L

19 FTD 45L/55L

21 FTE 35L/45L

Our Company

It is a high-tech enterprise integrating production, R&D, sales and after-sales service.

The company's business philosophy of "cherish cooperation, respect rights and interests cooperation and win-win".

Obtained the satisfaction and high appreciation of the staff and partners, and established a good relationship of cooperation.



Why Choose Us ?

21years

Manufacture of
refrigeration equipment



Complete certification
in many countries

300+

Customers in all
around the world

OEM

Various
customization

80+

Professional technical
managerial staff



High-tech
enterprises

Company's History

2001

The company was established and mainly produces various refrigeration equipment such as water dispensers, water purifiers, and small refrigerators.

2008

The company's business expanded to vehicle water dispensers and refrigeration refrigerators.

2022

The company's business is spread all over the world, with the main markets being the US, EU, and SEA. Serving more than 1,000 buyers.



QUALIFICATION CERTIFICATION



FTG 12L

RAPID REFRIGERATION



- Capacity: 12L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 35W
- N.W.: 8.0KG
- G.W.: 9.1KG
- Material: ABS/HIPS
- Product Dimension: L491 X W285 X H307mm
- Packing Dimension: L550 X W350 X H385mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery



Intelligent digital display control panel



Seal design locks in freshness



Dual-mode power supply for both car and home use



Built-in LED light

FTA 30L

RAPID REFRIGERATION



- Capacity: 30L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 11.6KG
- G.W.: 14KG
- Material: PP/ABS/HIPS
- Product Dimension: L600 X W384 X H354mm
- Packing Dimension: L680 X W435 X H415mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Seal design locks in freshness



Dual-mode power supply for both car and home use



Recessed handles for easy handling

FTA 40L

RAPID REFRIGERATION



- Capacity: 40L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 12.8KG
- G.W.: 15.8KG
- Material: PP/ABS/HIPS
- Product Dimension: L600 X W384 X H434mm
- Packing Dimension: L680 X W435 X H495mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Seal design locks in freshness



Dual-mode power supply for both car and home use



Built-in LED light

FTA 50L

RAPID REFRIGERATION



- Capacity: 50L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 13.9KG
- G.W.: 17KG
- Material: PP/ABS/HIPS
- Product Dimension: L600 X W384 X H514mm
- Packing Dimension: L680 X W435 X H575mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Seal design locks in freshness



Dual-mode power supply for both car and home use



Built-in LED light

FTB 18L

RAPID REFRIGERATION



- Capacity: 18L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 40W
- N.W.: 11.6KG
- G.W.: 13.6KG
- Material: HIPS/ABS/GLASS DOOR
- Product Dimension: L556 X W345 X H314mm
- Packing Dimension: L580 X W405 X H375mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right

Tempered Glass Panel
smart touchSeal design
locks in freshnessDual-mode power supply
for both car and home use

Built-in LED light

FTB 25L

RAPID REFRIGERATION



- Capacity: 25L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 12.5KG
- G.W.: 14.6KG
- Material: HIPS/ABS/GLASS DOOR
- Product Dimension: L556 X W345 X H370mm
- Packing Dimension: L580 X W405 X H431mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right

Tempered Glass Panel
smart touchSeal design
locks in freshnessDual-mode power supply
for both car and home use

Built-in LED light

FTB 18LP RAPID REFRIGERATION



- Capacity: 18L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 40W
- N.W.: 11.1KG
- G.W.: 13.1KG
- Material: HIPS/ABS
- Product Dimension: L556 X W345 X H314mm
- Packing Dimension: L580 X W405 X H375mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel

Seal design locks in freshness

Dual-mode power supply for both car and home use

Built-in LED light

FTB 25LP RAPID REFRIGERATION



- Capacity: 25L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 40W
- N.W.: 11.6KG
- G.W.: 13.5KG
- Material: HIPS/ABS
- Product Dimension: L556 X W345 X H370mm
- Packing Dimension: L580 X W405 X H431mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel

Seal design locks in freshness

Dual-mode power supply for both car and home use

Built-in LED light

FTC 40L

RAPID REFRIGERATION



- Capacity: 40L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 18.6KG
- G.W.: 20.5KG
- Material: ABS/PP/HIPS/STAINLESS STEEL
- Product Dimension: L787 X W410 X H335mm
- Packing Dimension: L840 X W475 X H410mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Double Door Refrigerator Separate Storage for Refrigeration and Freezing



Dual-mode power supply for both car and home use



Safety lock intimate design

FTC 50L

RAPID REFRIGERATION



- Capacity: 50L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 20KG
- G.W.: 22KG
- Material: ABS/PP/HIPS/STAINLESS STEEL
- Product Dimension: L787 X W410 X H385mm
- Packing Dimension: L840 X W475 X H460mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right




Intelligent digital display control panel



Double Door Refrigerator Separate Storage for Refrigeration and Freezing



Dual-mode power supply for both car and home use



Safety lock intimate design

FTC 60L

RAPID REFRIGERATION



- Capacity: 60L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 21.6KG
- G.W.: 23.6KG
- Material: ABS/PP/HIPS/STAINLESS STEEL
- Product Dimension: L787 X W410 X H435mm
- Packing Dimension: L840 X W475 X H510mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Double Door Refrigerator Separate Storage for Refrigeration and Freezing



Dual-mode power supply for both car and home use



Safety lock intimate design

FTC 70L

RAPID REFRIGERATION



- Capacity: 70L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 23KG
- G.W.: 25KG
- Material: ABS/PP/HIPS/STAINLESS STEEL
- Product Dimension: L787 X W410 X H485mm
- Packing Dimension: L840 X W475 X H560mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Double Door Refrigerator Separate Storage for Refrigeration and Freezing



Dual-mode power supply for both car and home use



Safety lock intimate design

FTD 45L

RAPID REFRIGERATION



- Capacity: 60L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 12.9KG
- G.W.: 13.7KG
- Material: METAL BODY/HIPS
- Product Dimension: L612X W430 X H397mm
- Packing Dimension: L680X W500 X H480mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Stainless steel latch



Robust corner protector



High-capacity storage

FTD 55L

RAPID REFRIGERATION



- Capacity: 55L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 13.6KG
- G.W.: 14.6KG
- Material: METAL BODY/HIPS
- Product Dimension: L612X W430 X H447mm
- Packing Dimension: L680X W500 X H530mm



PRODUCT FEATURES


- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel



Stainless steel latch



Robust corner protector



High-capacity storage

FTE 35L

RAPID REFRIGERATION



- Capacity: 35L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 12KG
- G.W.: 12.7KG
- Material: PP/ABS/HIPS
- Product Dimension: L600X W360 X H412mm
- Packing Dimension: L670X W450 X H480mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel

Low noise pulley is not afraid of bumps

Designed with USB port for charging

Adjustable telescopic trolley bar for smooth pushing and pulling

FTE 45L

RAPID REFRIGERATION



- Capacity: 45L
- Refrigerant: R134a/R290
- Temperature: +10°C ~ -18°C
- Voltage: DC12-24V
- Voltage (adapter): 100-240V
- Power Consumption: 45W
- N.W.: 12.4KG
- G.W.: 13.5KG
- Material: PP/ABS/HIPS
- Product Dimension: L600X W360 X H492mm
- Packing Dimension: L670X W450 X H560mm



PRODUCT FEATURES

- High quality compressors
- Multi-purpose for car and home use
- Use with a 30° inclination or rough mountain roads
- Intelligent operation and temperature control with LED display
- 12V/24V/100-240V voltage can be used without worrying about voltage problems
- Bluetooth connect and mobile app control
- Intelligent power-off at low battery with car battery protection
- Intelligent anti-loss design to protect the car battery
- Frozen on the left, refrigerated on the right



Intelligent digital display control panel

Low noise pulley is not afraid of bumps

Designed with USB port for charging

Adjustable telescopic trolley bar for smooth pushing and pulling