



FETER

ELECTRIC FIREPLACE PRODUCT BROCHURE

NINGBO FETER ELECTRICAL APPLIANCE CO.,LTD

Add: 78 Jingqi Road, Fuhai Industrial Zone, Cixi City, Zhejiang Province

Tel: 86-574-63564720 Fax: 86-574-63567353

Mail: feter@feterchina.com

Web: www.feterchina.com

NINGBO FETER ELECTRICAL APPLIANCE CO.,LTD

产品目录

Product Catalogue

F2201DC	05
F2202DA	06
F2203DC	07
F2204DA	08
F2205DB	09
F2206DB	10
F2207DA	11
F2208DA	12
F2209DA	13
F2210DA	14
F2211DA	15
F2212GA	17
F2213GA	18
F2214GA	19
F2215GA	20
F2216GA	21
F2217GB	22
F2218GB	23
F2219GB	24
F2220QA	25
F2222QA	26
F2223QA	27
F2224QA	28
F2301DC	29
F2302DC	30
F2303DC	31



About us

宁波菲特电器有限公司,创建于2002年,占地20000平方米,坐落在有小康电之乡美誉的宁波慈溪附海工业区。是一家集生产、研发、销售、售后服务于一体的高新技术企业,主营各类壁炉、车载冰箱、制冰机、冰淇淋机、冰酒机、冰啤、酒机。公司现拥有员工300多人,专业技术和管理人员80多人,生产配套产业有大型全自动流水线生产车间、注塑车间、钣金车间、印刷车间、纸箱车间及压缩机生产车间,并与国内外多家知名企业长期合作。企业通过了BSCI、CE、CB、FCC、GS、SAA、ISO9001、ISO14000等权威认证,拥有自营进出口权,产品出口多个国家和地区。

Ningbo feter electrical appliance co.,ltd, founded in 2002, Covering an area of 20,000 square meters, located in Ningbo Cixi, China. It is a high-tech enterprise integrating production, research and development, sales and after-sales service. The main products are Fireplace, portable freezer, ice maker, ice cream machine, shot chiller, beer dispenser, chiller. Company now has more than 300 employees, more than 80 professional technical and management personnel. The production supporting industries include large-scale automatic assembly line production workshops, injection workshops, sheet metal workshops, printing workshops, carton workshops and compressor production workshops. And long-term cooperation with many well-known companies. We have BSCI, CE, CB, FCC, GS, SAA, ISO9001, ISO14000 test report and certificate, products are exported to many countries and regions.





1. 主要场景：

壁炉适用于各种室内场景，为用户提供温馨、舒适的环境。主要场景包括：

客厅：壁炉是客厅的理想装饰品，为这个家庭聚会空间增添温暖和视觉吸引力。

卧室：在卧室中使用壁炉可以为睡眠区域提供额外的舒适感，尤其是在寒冷的季节。

办公室：壁炉也可以用于办公室，为工作空间增添舒适度，同时提供额外的取暖。

酒店、餐厅和商业场所：壁炉不仅适用于家庭，也是商业场所提供温馨氛围的理想选择。

2. 动态火焰效果：

壁炉通常配备了先进的火焰模拟技术，具有以下特点：

逼真：通过 LED 灯，壁炉能够模拟出非常逼真的火焰效果，包括火光闪烁和燃烧木柴的动态感。

可调节：用户可以调整火焰的亮度和速度，以满足不同场合和个人偏好。

视觉吸引力：动态火焰效果为室内创造出温馨、浪漫的氛围，使人们感到放松和愉悦。

3. 仿真炭火效果：

煤块模拟：通过设计煤块的外观和排列方式，壁炉能够模拟出传统壁炉中燃烧的木柴或煤块的效果。

火焰下的灰烬：仿真炭火效果还包括在火焰下模拟灰烬的细节，进一步增强了真实感。

增强装饰性：仿真炭火效果不仅提供了更真实的火焰模拟，还增加了电壁炉的装饰性，使其更具吸引力。

壁炉通过结合外观设计、动态火焰和仿真炭火效果，为用户提供了一种实用且美观的取暖解决方案，为室内创造出温馨的氛围。

1. Main scenarios:

Fireplaces are suitable for a variety of indoor scenarios, providing users with a warm, cosy environment. The main scenes include:

LIVING ROOM: Ideal decorations to add warmth and vision to this family gathering space.

BEDROOMS: Using a fireplace in a bedroom can provide extra cosiness in the sleeping area, especially during the colder seasons.

OFFICES: Fireplaces can also be used in offices to add cosiness to the workspace while providing additional heating.

HOTELS, RESTAURANTS AND COMMERCIAL PREMISES: fireplaces are ideal for providing a cosy atmosphere not only in the home but also in commercial premises.

2. Dynamic flame effects:

Fireplaces are usually equipped with advanced flame simulation technology with the following features:

REALISTIC: With LED lights, the fireplace simulates a very realistic flame effect, including flickering flames and the dynamic feel of burning wood.

ADJUSTABLE: Users can adjust the brightness and speed of the flame to suit different occasions and personal preferences.

VISUAL APPEAL: The dynamic flame effect creates a warm, romantic atmosphere in the room, making people feel relaxed and happy.

3. Simulates the effect of a charcoal fire:

BRIQUETTE SIMULATION: By designing the appearance and arrangement of the briquettes, the fireplace is able to simulate the effect of wood or coal briquettes burned in a traditional fireplace.

ASHES UNDER THE FLAMES: The simulated charcoal effect also includes details that simulate ashes under the flames further enhancing the sense of realism.

ENHANCED DECORATION: The simulated charcoal effect not only provides a more realistic flame simulation, but also adds to the decorative appeal of the electric fireplace, making it more attractive.

F2201DC

仿真木炭壁炉
Simulated charcoal fireplace



旋钮调节
knob adjustment

产品参数 Product parameter

型号 Model	F2201DC
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1250W / 2000W
净重/毛重 N.W./G.W.	5.1KG/6.1KG
产品尺寸 Product Dimension	L364 x W218 x H504mm
包装尺寸 Packing Dimension	L435 x W260 x H475mm



产品特点 Product characteristics



三面防爆玻璃设计
Explosion-proof glass design
on three sides



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



防阻燃外壳
Flame retardant housing

F2202DA

仿真木炭壁炉
Simulated charcoal fireplace



开关调节
Switch Adjustment

产品参数 Product parameter

型号 Model	F2202DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	5.6KG/6.6KG
产品尺寸 Product Dimension	L374 x W250 x H555mm
包装尺寸 Packing Dimension	L415 x W295 x H520mm



产品特点 Product characteristics



单开门设计
Single door design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



防阻燃外壳
Flame retardant housing

F2203DC

仿真木炭壁炉
Simulated charcoal fireplace



旋钮调节
knob adjustment

产品参数 Product parameter

型号 Model	F2203DC
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1250W / 2000W
净重/毛重 N.W./G.W.	4.2KG/5KG
产品尺寸 Product Dimension	L351 x W216 x H442mm
包装尺寸 Packing Dimension	L395 x W260 x H435mm




产品特点 Product characteristics



下出风口设计
Lower air vent design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



防阻燃外壳
Flame retardant housing

F2204DA

仿真木炭壁炉
Simulated charcoal fireplace



开关调节
Switch Adjustment

产品参数 Product parameter

型号 Model	F2204DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	5KG/6KG
产品尺寸 Product Dimension	L342 x W175 x H251mm
包装尺寸 Packing Dimension	L410 x W218 x H292mm



产品特点 Product characteristics



木纹材质外壳
Woodgrain housing




3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



防爆玻璃
Explosion-proof glass

F2205DB

仿真木炭壁炉
Simulated charcoal fireplace



按键调节
Key Adjustment




产品参数 Product parameter

型号 Model	F2205DB
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 1500W
净重/毛重 N.W./G.W.	6KG/7.1KG
产品尺寸 Product Dimension	L518 x W216 x H294mm
包装尺寸 Packing Dimension	L564 x W279 x H332mm

产品特点 Product characteristics



下出风口设计
Lower air vent design




仿真炭火
simulated charcoal fire



大屏温度数显
Large temperature display

F2206DB

仿真木炭壁炉
Simulated charcoal fireplace




智能触控温度数显
Intelligent touch
temperature digital display



产品参数 Product parameter

型号 Model	F2206DB
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 1500W
净重/毛重 N.W./G.W.	9.8KG/11.8KG
产品尺寸 Product Dimension	L592 x W237 x H459mm
包装尺寸 Packing Dimension	L660 x W318 x H530mm

产品特点 Product characteristics



可选带木框
Optional with wooden frame



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2207DA

仿真木炭壁炉
Simulated charcoal fireplace



旋钮调节
knob adjustment

产品参数 Product parameter

型号 Model	F2207DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	7KG/8KG
产品尺寸 Product Dimension	L502 x W299 x H573mm
包装尺寸 Packing Dimension	L515 x W300 x H500mm



产品特点 Product characteristics



下出风口设计
Lower air vent design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



双开门设计
Double door design

F2208DA

仿真木炭壁炉
Simulated charcoal fireplace



旋钮调节
knob adjustment

产品参数 Product parameter

型号 Model	F2208DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	8KG/9KG
产品尺寸 Product Dimension	L502 x W299 x H573mm
包装尺寸 Packing Dimension	L515 x W300 x H500mm



产品特点 Product characteristics



三面可视化
Three-sided visualisation



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2209DA

仿真木炭壁炉
Simulated charcoal fireplace



开关调节
Switch Adjustment

产品参数 Product parameter

型号 Model	F2209DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	5.1KG/6.1KG
产品尺寸 Product Dimension	L380 x W240 x H534mm
包装尺寸 Packing Dimension	L430 x W290 x H475mm



产品特点 Product characteristics



上出风口设计
Upper air vent design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2210DA

仿真木炭壁炉
Simulated charcoal fireplace



旋钮调节
knob adjustmen

产品参数 Product parameter

型号 Model	F2210DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	5.4KG/6.4KG
产品尺寸 Product Dimension	L372 x W240 x H526mm
包装尺寸 Packing Dimension	L420 x W290 x H525mm



产品特点 Product characteristics



下出风口设计
Lower air vent design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2211DA (机械款)

mechanical model

仿真木炭壁炉

Simulated charcoal fireplace



开关调节
Switch Adjustment

产品参数 Product parameter

型号 Model	F2211DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	3.4KG/4.4KG
产品尺寸 Product Dimension	L310 x W160 x H375mm
包装尺寸 Packing Dimension	L345 x W205 x H445mm




产品特点 Product characteristics



顶部提手设计
Top Handle Design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



木纹材质外壳
Wood grain material housing

F2211DA (遥控款)

Remote control models

仿真木炭壁炉

Simulated charcoal fireplace



按键调节温度数显
Push-button temperature
adjustment digital display

产品参数 Product parameter

型号 Model	F2211DA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	3.4KG/4.4KG
产品尺寸 Product Dimension	L310 x W160 x H375mm
包装尺寸 Packing Dimension	L345 x W205 x H445mm




产品特点 Product characteristics



顶部提手设计
Top Handle Design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



木纹材质外壳
Wood grain material housing

F2212GA

仿真木炭壁炉
Simulated charcoal fireplace




按键调节
Key Adjustment




产品参数 Product parameter

型号 Model	F2212GA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	11.8KG/13.8KG
产品尺寸 Product Dimension	L915 x W121 x H460mm
包装尺寸 Packing Dimension	L1010 x W211 x H548mm

产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2213GA

仿真木炭壁炉
Simulated charcoal fireplace




按键调节
Key Adjustment



产品参数 Product parameter

型号 Model	F2213GA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	13.8KG/15.8KG
产品尺寸 Product Dimension	L1064 x W121 x H460mm
包装尺寸 Packing Dimension	L1156 x W211 x H548mm

产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2214GA

仿真木炭壁炉
Simulated charcoal fireplace




按键调节
Key Adjustment




产品参数 Product parameter

型号 Model	F2214GA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	16KG/18KG
产品尺寸 Product Dimension	L1267 x W121 x H460mm
包装尺寸 Packing Dimension	L1360 x W211 x H548mm

产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2215GA

仿真木炭壁炉
Simulated charcoal fireplace



按键调节
Key Adjustment



产品参数 Product parameter

型号 Model	F2215GA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	10.7KG/12.2KG
产品尺寸 Product Dimension	L656 x W148 x H519mm
包装尺寸 Packing Dimension	L735 x W215 x H588mm

产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2216GA

仿真木炭壁炉
Simulated charcoal fireplace




按键调节
Key Adjustment

产品参数 Product parameter

型号 Model	F2216GA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	12.6KG/14.6KG
产品尺寸 Product Dimension	L896 x W135 x H558mm
包装尺寸 Packing Dimension	L965 x W195 x H628mm




产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2217GB

仿真木炭壁炉
Simulated charcoal fireplace



智能触控温度数显
Intelligent touch temperature
digital display

产品参数 Product parameter

型号 Model	F2217GB
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	750W / 1500W
净重/毛重 N.W./G.W.	12.4KG/14.4KG
产品尺寸 Product Dimension	L912 x W130 x H460mm
包装尺寸 Packing Dimension	L1010 x W211 x H548mm




产品特点 Product characteristics



防爆玻璃
Explosion-proof glass




3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



上出风口设计
Upper air vent design

F2218GB

仿真木炭壁炉
Simulated charcoal fireplace




智能触控温度数显
Intelligent touch
temperature digital display

产品参数 Product parameter

型号 Model	F2218GB
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	750W / 1500W
净重/毛重 N.W./G.W.	14KG/16KG
产品尺寸 Product Dimension	L1063 x W130x H460mm
包装尺寸 Packing Dimension	L1156 x W211 x H548mm




产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



上出风口设计
Upper air vent design

F2219GB

仿真木炭壁炉
Simulated charcoal fireplace




智能触控温度数显
Intelligent touch temperature
digital display

产品参数 Product parameter

型号 Model	F2219GB
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	750W / 1500W
净重/毛重 N.W./G.W.	17.2KG/19.2KG
产品尺寸 Product Dimension	L1270 x W130 x H460mm
包装尺寸 Packing Dimension	L1360 x W211 x H548mm




产品特点 Product characteristics



防爆玻璃
Explosion-proof glass




3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



上出风口设计
Upper air vent design

F2220QA

仿真木炭壁炉
Simulated charcoal fireplace



智能触控温度数显
Intelligent touch
temperature digital display

产品参数 Product parameter

型号 Model	F2220QA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	12.2KG/14.2KG
产品尺寸 Product Dimension	L663 x W152x H516mm
包装尺寸 Packing Dimension	L740 x W210 x H564mm



产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



可选加木框
Optional wooden frame

F2222QA

仿真木炭壁炉
Simulated charcoal fireplace




按键调节温度数显
Push-button temperature
adjustment digital display

产品参数 Product parameter

型号 Model	F2222QA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	13.5KG/15.5KG
产品尺寸 Product Dimension	L660 x W230 x H493mm
包装尺寸 Packing Dimension	L750 x W315 x H583mm



产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



可选加木框
Optional wooden frame

F2223QA

仿真木炭壁炉
Simulated charcoal fireplace



开关调节
Switch Adjustment

产品参数 Product parameter

型号 Model	F2223QA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	7.6KG/8.6KG
产品尺寸 Product Dimension	L497 x W143 x H608mm
包装尺寸 Packing Dimension	L590 x W287 x H695mm



产品特点 Product characteristics



倾倒断电
dumping blackout



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温防阻燃外壳
High temperature resistant
and flame retardant housing

F2224QA

仿真木炭壁炉
Simulated charcoal fireplace




按键调节温度数显
Push-button temperature
adjustment digital display

产品参数 Product parameter

型号 Model	F2224QA
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1000W / 2000W
净重/毛重 N.W./G.W.	16.8KG/19KG
产品尺寸 Product Dimension	L765 x W223 x H583mm
包装尺寸 Packing Dimension	L855 x W310 x H670mm



产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



可选加木框
Optional wooden frame

F2301DC

仿真木炭壁炉
Simulated charcoal fireplace



旋钮调节
knob adjustment

产品参数 Product parameter

型号 Model	F2301DC
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	1200W / 2000W
净重/毛重 N.W./G.W.	2.4KG/3.4KG
产品尺寸 Product Dimension	L325 x W202 x H462mm
包装尺寸 Packing Dimension	L390 x W250 x H410mm



产品特点 Product characteristics



防爆玻璃
Explosion-proof glass



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



耐高温阻燃外壳
High temperature resistant
and flame retardant housing

F2302DC (遥控款)

仿真木炭壁炉
Simulated charcoal fireplace

Remote control models



按键调节温度数显
Push-button temperature
adjustment digital display

产品参数 Product parameter

型号 Model	F2302DC
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	900W / 1500W
净重/毛重 N.W./G.W.	1.7KG/2.4KG
产品尺寸 Product Dimension	L245 x W130 x H283mm
包装尺寸 Packing Dimension	L280 x W170 x H360mm




产品特点 Product characteristics



顶部提手设计
Top Handle Design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



木纹材质外壳
Wood grain material housing

F2303DC (机械款)

仿真木炭壁炉
Simulated charcoal fireplace

mechanical model



开关调节
Switch Adjustment

产品参数 Product parameter

型号 Model	F2303DC
电压 Voltage	AC 220V / 50Hz
功率 Heating Power	900W / 1500W
净重/毛重 N.W./G.W.	1.8KG/2.5KG
产品尺寸 Product Dimension	L245 x W130 x H283mm
包装尺寸 Packing Dimension	L280 x W170 x H360mm


产品特点 Product characteristics



顶部提手设计
Top Handle Design



3D动态火焰仿真炭火
3D dynamic flame
simulation charcoal fire



木纹材质外壳
Wood grain material housing



场景展示

SCENE DISPLAY



